HYC�N 紘康科技

HY14E Series Quality Approval Sheet



Table of Contents

| 1 | State | ement | 3 |
|---|-------|--|----|
| 2 | ISO | Certificate | 4 |
| 3 | | ability Test Introduction | |
| | 3.1 | Package Reliability Test Flow | 5 |
| | 3.2 | Package Reliability Test Plan | 6 |
| | 3.3 | Product Reliability Test Flow | 7 |
| | 3.4 | Product Reliability Test Plan | 7 |
| 4 | Prod | luct Information | 8 |
| | 4.1 | Package Reliability Result | 8 |
| | 4.2 | Product Reliability Result | 8 |
| | 4.3 | Product Storage Condition | 9 |
| | 4.4 | Reflow Profile Suggestion | 9 |
| | 4.5 | Product Label System | 10 |
| 5 | Gree | en Product | 11 |
| | 5.1 | Hazardous Substances Control Item within test report | |
| | 5.2 | Restricted Use of Conflict Minerals | 12 |
| | | | |



1 Statement

HYCON Technology Corporation positions ourselves as a leading manufacturer of high precision integrated circuits in analog and digital signal processing applications.

Our quality system is in full accordance with ISO 9001: 2015 procedures. Our products are not only innovative and leading-edge from a design perspective, but they are also, based on our reliability data, exceptionally robust and conform to industrial standards resulted from their high stability. HYCON Technology Corporation strives to produce reliable and high-quality products that meet customers' requirements.

Due to the rising environmental and human rights concerns around the world, the need for environmental protection and hazardous (banned) substance elimination in electronic components and systems is receiving increased attention within the semiconductor and electronics industries. HYCON Technology Corporation asserts the concept of sustainable corporate development and social responsibility and respects international human rights therefore we not only have been devoted to the provision of Green products which are in compliance with Restriction of Hazardous Substances (RoHS) Directive (EU) 2016/293, (EU) 2015/863, 2011/65/EU, Halogen Free (IEC 61249-2-21) and REACH 1907/2006(EC) ANNEX XVII and SVHC (Substance of Very High Concern) under REACH (Registration, Evaluation, Authorization and Restriction of Chemicals) current version of restricted substances and prescribed regulations but also all products supplied to customers are of conflict-free minerals.

If necessary, please contact HYCON Technology Corporation's sales/agents for more information, and we will keep on providing our best support and service to you.

Arch Huang

Erch Strang

Senior Director, Quality Assurance Division. HYCON TECHNOLOGY CORPORATION



2 ISO Certificate

Audited by creditworthy TÜV SUD Asia Pacific Ltd. TÜV Süddeutschland Group, HYCON Technology Corporation procured the anticipating certificate of ISO 9001: 2015.

HYCON Technology Corporation is certified in the scope of "Design, Manufacturing, Marketing and Service of Integrated Circuits".


By fulfilling ISO 9001: 2015, it is the very first stage of quality management system of HYCON Technology Corporation. We're going to continuously practice quality objective, "Ceaseless Quality Improvement", "Fearless in Confronting Challenges", "Innovative Thinking" and "Sticking to Commitment" in every products realization and company evolving activities. HYCON Technology Corporation devotes to provide customers, representatives, suppliers with total satisfaction.





3 Reliability Test Introduction

3.1 Package Reliability Test Flow






3.2 Package Reliability Test Plan

| Test Item | Reference Document | Test Condition and Readout | Sampling Plan | | |
|---|--|---|---------------|------|--|
| restitem | Reference Document | Test Condition and Readout | SS/Acc. | LTPD | |
| MSL Preconditioning (PC) | JESD22-A113 IPC/JEDEC J-STD-020 | Temperature Cycling : $-65^{\circ}C \sim 150^{\circ}C$, 5 cyclesBake : 125^{\circ}C, 24 hrs.Soaking : (MSL1 or MSL3)MSL1 : 85^{\circ}C, 85^{\circ}RH, 168 hrs.MSL3 : 30^{\circ}C, 60^{\circ}RH, 192 hrs.Reflow : 3 times @ 260^{\circ}C Peak | 231/0 | 1% | |
| High Temperature Storage Life (HTSL) | JESD22-A103 | 150°C, 1000 hrs. | 25/0 | 10% | |
| Temperature Cycling (TC) | MIL-STD-883 Method 1010 JESD22-A104 | -65℃~150℃, 500 cycles | 25/0 | 10% | |
| Pressure Cooker Test (PCT) | JESD22-A102 | 121°C, 100%RH, 2atm, 168hrs. | 25/0 | 10% | |
| High TemperatureAccelerated Stress TestJESD22-A118(UHAST) | | 130°C, 85%RH, 96 hrs. | 25/0 | 10% | |
| Solderability (SD) JESD22-B102 | | 5 ± 0.5 sec. | 15/0 | 15% | |



3.3 Product Reliability Test Flow



3.4 Product Reliability Test Plan

| Test Item | Reference Document | Test Spec and Stress Condition | SS/Acc. | |
|------------------|-------------------------|-------------------------------------|---------|--|
| ESD-HBM | MIL-STD-883 Method 3015 | It is presended until condition we | 3/0 | |
| ESD-MM | JESD22-A115 | It is proceeded until condition we | 3/0 | |
| Latch-Up | JESD78 | can carry out using test equipment. | 3/0 | |
| High Temperature | MIL-STD-883 Method 1005 | | 77/0 | |
| Operating Life | JESD22-A108 | 125°C, 1000 hrs. | 77/0 | |
| (HTOL) | JESD85 | | LTPD 3% | |
| Data Batantian | MIL-STD-883 Method 1008 | 150°C 1000 hm | 77/0 | |
| Data Retention | JESD22-A117 | 150°C, 1000 hrs. | LTPD 3% | |
| Non-Volatile | | 10°C 125°C 185°C | 77/0 | |
| Memory Cycling | JESD22-A117 | -40°C, +25°C, +85°C | | |
| Endurance | | 100K Cycles | LTPD 3% | |



4 Product Information

4.1 Package Reliability Result

| Model | Time | Dine | Material | Package Reliability | | | | | |
|---------------|-------|---------------------|----------|---------------------|------|------|------|-------|------|
| Woder | Туре | Pins Composition | | MSL | HTSL | тс | РСТ | UHAST | SD |
| HY14EXXX-W000 | Wafer | - | Green | - | - | - | - | - | - |
| HY14EXXX-D000 | Die | - | Green | - | - | - | - | - | - |
| HY14EXXX-E016 | SSOP | 16 | Green | 3 | PASS | PASS | PASS | PASS | PASS |
| HY14EXXX-N016 | QFN | 16 | Green | 3 | PASS | PASS | PASS | PASS | PASS |


4.2 Product Reliability Result

| Test Item | Result | | |
|---|---|--|--|
| ESD-HBM | Pass ± 4KV | | |
| ESD-MM | Pass ± 400V | | |
| Latch-Up | Pass ± 200mA | | |
| High Temperature Operating Life (HTOL) | At 90% Confidence Level λ = 113.58 FIT MTTF = 1,005 years | | |
| Data Retention | >10 Years @ 85°C | | |
| Endurance | >100K Cycles @ -40°C \sim +85°C | | |



- 4.3 Product Storage Condition
 - 4.3.1 Wafer Product
 - 4.3.1.1 The product should be **vacuum sealed in dry pack** and kept in an environmentally controlled area within $15^{\circ}C \sim 35^{\circ}C$ and $\leq 60\%$ RH, and besides, should be used within 6 months.
 - 4.3.1.2 The package assembly process must be finished within 7 days.
 - 4.3.1.3 To reduce the risk of containment or oxidation, the residual wafer product must be kept in Nitrogen (N₂) purge cabinet within $20^{\circ}C \sim 30^{\circ}C$ or well **vacuum sealed in dry pack** once again.
- 4.4 Reflow Profile Suggestion

HYCON products are all green products (Halogen Free, Pb-Free), the reflow profile suggestion refers to J-STD-020 as below :





4.5 Product Label System

In order to improve management and traceability, we upgrade label system and introduce 1D and 2D barcode. The barcode label was launched since 2015 Q4. The change of label shall not affect the product function and specification.

4.5.1 Label Example

| Dice Product (Dice Tra | iy) | Dice Product | | | |
|--|------------------|--|--|--|--|
| Model: HY14E10-D000 Lot : ABCDE.F Q'ty : 1000 Date : 18-01-31 Q.C. : Remark : | | HYCON TECHNOLOGY Model : HY14E10-D000 International State Lot : ABCDE.F International State Q'ty : 180000 International State Date : 18-01-31 International State Remark : | CORPORATION | | |
| Wafer Product | | Package Product | | | |
| HYCON TECHNOLOGY CORP | ORATION | HYCON TECHNOLOGY CORPORATION | | | |
| Model : HY14E10-W000 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | Pb-Free Green | Model: HY14E10-E016 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | A123 MSL : 3 e3/260C Pb-Free Green | | |

4.5.2 Symbols of Label

- 4.5.2.1 The "Pb-free, Green" mark means it is Green Product that meets RoHS Directive, SVHC under REACH and Halogen free.
- 4.5.2.2 MSL : Moisture Sensitivity Level.
- 4.5.2.3 Plating Spec :
 - e3 : Pure Sn

e4 : Precious Metal.

- 4.5.2.4 260C : Peak temperature of Reflow.
- 4.5.2.5 "MSL", "Plating SPEC" and "260C" are showed on package product label ONLY.
- 4.5.2.6 Above data refers to IPC/JEDEC Joint Standard J-STD-609.



5 Green Product

Hazardous Substances Control Item within test report 5.1

| No. | Material & Substance | Legal Reference | Threshold | M.D.L |
|-----|---|--|--|--------|
| 1 | <i>RoHS2.0</i> Lead (Pb) and its compounds | EU Directive 2011/65/EU California Proposition 65 EU REACH Regulation 86/677/EEC Norway's PoHS | 1000ppm (0.1wt%) | ≦2ppm |
| 2 | RoHS2.0 Mercury (Hg) and its compounds | EU Directive 2011/65/EU EU REACH Regulation TCO 5.2 | 1000ppm (0.1wt%) | ≦2ppm |
| 3 | RoHS2.0 Cadmium (Cd) and its compounds | EU Directive 2011/65/EU EU REACH Regulation Norway's PoHS EU Directive 98/101/EC | 100ppm (0.01wt%) | ≦2ppm |
| 4 | RoHS2.0 Hexavalent chromium (Cr ⁶⁺) compounds | EU Directive 2011/65/EU EU REACH Regulation | 1000ppm (0.1wt%) | ≦2ppm |
| 5 | RoHS2.0 Polybrominated Biphenyls (PBBs) | EU Directive 2011/65/EU EU REACH Regulation | 1000ppm (0.1wt%) | ≦5ppm |
| 6 | RoHS2.0 Polybrominated Diphenyl Ethers (PBDEs) (PBDEs,PBBE,PBDOs,PBBOs, DecaBDE) | EU Directive 2011/65/EU EU REACH Regulation | 1000ppm (0.1wt%) | ≦5ppm |
| 7 | RoHS2.0 Phthalates, e.g. : Di (2-ethylhexyl) Phthalate (DEHP) Di-n-butyl Phthalate (DBP) Butyl Benzyl Phthalate (BBP) Diisobutyl Phthalate (DIBP) Di-iso-nonyl Phthalate (DINP) Diisodecyl phthalate (DIDP) Di-n-hexyl Phthalate (DINP) | (EU) 2015/863/EU, 2011/65/EU JIG-101 Ed 4.1 Canadian Environmental Protection Act OSPAR | 1000ppm (0.1wt%) | ≦50ppm |
| 8 | Halogen Free Bromine (Br) | IEC 61249-2-21 JPCA-ES01 2003 | 900ppm (0.09 wt%) | ≦50ppm |
| 9 | Halogen Free Chlorine (Cl) | IEC 61249-2-21 JPCA-ES01 2003 | 900ppm (0.09 wt%) | ≦50ppm |
| 10 | Halogen Free Total Halogen Contained (CI+Br) | IEC 61249-2-21 JPCA-ES01 2003 | 1500 ppm (0.15wt%) | ≦50ppm |
| 11 | Perfluorooctyl acid (PFOA) and individual salts and esters of PFOA Perfluorooctane Sulphnate (PFOS) related substances, | 2006/122/EC (EU) 757/2010 (EU) 2020/784 Norway PoHS Stockholm Convention SONY GP (SS-00259) | 25 ppb (0.0000025wt%) | ≦10ppm |
| 12 | Halogenated Flame Restardants, e.g.: • Hexabromocyclododecane (HBCCD) • TBBP-A | (EU) 2016/293 Stockholm Convention Norway PoHS JIG-101 Ed 4.1 SONY GP (SS-00259) | Forbidden(N.D) | ≦5ppm |
| 13 | Ozone Depleting Substances : Chlorofluorocarbons (CFCs) Hydrochlorofluorocarbons (HCFCs) Halons Bromodifluoromethane and Isomers (HBFCs) Hydrofluorocarbon (HFC) and Perfluorocarbons (PFC) Other ozone depleting substances | Montreal Protocol Annex A, B, C JIG-101 Ed 4.1 | Forbidden(N.D) | ≦1ppm |
| 14 | TSCA Decabromodiphenyl ether (DecaBDE) Phenol, isopropylated phosphate (3:1) [PIP (3:1)] Pentachlorothiophenol (PCTP) Hexachlorobutadiene (HCBD) 2,4,6-tris(tert-butyl) phenol (2,4,6-TTBP) | Toxic Substances Control Act (TSCA) section 6(h) | Prohibited Prohibited 0.1 wt% Prohibited 0.3 wt% | |
| 15 | SVHC (Substance of Very High Concern) under REACH (Registration, Evaluation, Authorization and Restriction of Chemicals) latest version of restricted substances and prescribed regulations Refer to http://echa.europa.eu/candidate-list-table | REACH Regulation (EC) | 1000 ppm (0.1 wt%) | |

Third-Party Test Reports provided by our suppliers and updated within 14 days after the original report test date plus 12-months are available upon customer request

× × × HYCON Environmental Policy : <u>http://www.hycontek.com/en/company-en/1781#tab2</u>

The SVHC is not contained in HYCON Technology Corporation's product based on our supply chain's information.

The "not contained" means equal or less than the defined threshold in the material. The defined threshold is 0.1 % (1,000 ppm) per weight, unless otherwise specified. Our products are in compliance with the SVHC under REACH current version of restricted substances and prescribed regulations.



5.2 Restricted Use of Conflict Minerals

HYCON Technology Corporation hereby declares all products supplied to customers are of conflict-free minerals.

Over the past few years, provoking society and environmental problems generated from manufacturing product raw materials and processes has grabbed the public's attention. Minerals from Democratic Republic of the Congo (DRC) even raised serious armed conflicts. Despite HYCON Technology Corporation does not procure minerals directly ourselves, still asserting the concept of sustainable corporate development and social responsibility and respects international human rights. HYCON Technology Corporation is in support of not using conflict minerals and is committed to fully survey supply chain, taking social and environmental responsibilities together with joint vendors, thus hereby declares :

- 1. Not to purchase conflict minerals from mines in the conflict regions.
- 2. Demand joint vendors not to use conflict minerals and to disclose the origin of Tantalum (Ta), Tin (Sn), Gold (Au), Tungsten (W), Cobalt (Co), Palladium (Pd) used in products and to provide restricted use of conflict minerals letter of commitment.
- 3. Demand joint vendors to formally convey the request of Restricted Use of Conflict Minerals to their upstream suppliers.
- 4. Conflict-Free Minerals Policy : http://www.hycontek.com/en/company-en/1781#tab4